



INTRODUCTION

The purpose of signage and of safety signs is to attract attention in a quick and easy understandable way to objects and situations that can cause certain situations, in particular:

- Prohibiting dangerous behaviors;
- Warning exposed people of a risk or a danger;
- Provide indications relating to emergency exits and emergency and rescue vehicles;
- Prescribe safety behaviors for safety purposes; Indicate further elements of prevention and safety.

The safety sign surface must be be suitably sized in relation to the distance from which the sign must be recognizable.

The size of a generic or safety sign must comply with the following formula: $A \ge L^*L / 2000$: A represents the sign surface expressed in m2 and L the distance in meters from which the sign must be recognizable.

In the following list the minimum surfaces of the signal prescribed are reported applying the formula in certain circumstances.

Distance in meters 5 10 15 20 25 30

Safety sign surface cm2 125 500 1125 2000 3125 4500

In compliance with annex 1 of Legislative Decree 1493/96 safety and contrast colors must be used.

Furthermore the safety signage for the prevention of injuries, the protection from fire, the information on health hazzards and evacuations emergency is regulated by technical standard UNI EN ISO 7010:2021. The shape and color of each safety sign conform to ISO 3864-1 and the design of graphic signs conform to ISO 3864-3 The UNI EN ISO 7010:2021 standard applies to all sites where issues related to safety of poeple urged to be faced, as the colors of the symbol, reported in the following list:

CARTELLO	SIGNIFICATO	DESCRIZIONE
0	CARTELLI DI DIVIETO	forma rotonda; pittogramma nero su fondo bianco; bordo e banda (verso il basso da sinistra a destra lungo il simbolo, con un'inclinazione di 45°) rossi (il rosso deve coprire almeno il 35% della superficie del cartello).
	CARTELLI ANTINCENDIO	forma quadrata o rettangolare; pittogramma bianco su fondo rosso.
\triangle	CARTELLI DI AVVERTIMENTO	forma triangolare; pittogramma nero su fondo giallo, bordo nero (il giallo deve coprire almeno il 50 % della superficie del cartello).
	CARTELLI DI PRESCRIZIONE	forma rotonda; pittogramma bianco su fondo azzurro (l'azzurro deve coprire almeno il 50 % della superficie del cartello).
	CARTELLI DI SALVATAGGIO	forma quadrata o rettangolare; pittogramma bianco su fondo verde (il verde deve coprire almeno il 50 % della superficie del cartello).



ALUMINUM SIGN OF EXTINGUISHER WITH TEXT



Code	Dimen- sions	Text
CAR1001	160X210	Extinguisher
CAR1002	120X145	Extinguisher
CAR1003	230X310	Extinguisher

ALUMINUM SIGN OF POWDER EXTINGUISHER WITH TEXT "EXTINGUISHER N°"



ALUMINUM SIGN OF CO2 EXTINGUI-SHER WITH TEXT "EXTINGUISHER N°"



Code	Dimen-
	sions

ALUMINUM SIGN OF FOAM EXTINGUISHER WITH TEXT "EXTINGUISHER N°"

ALUMINUM SIGN OF WHEELED EXTINGUISHER WITH TEXT

ALUMINUM SIGN OF HYDRANT WITH TEXT







Code	Dimen-
	sions
CAR1005	120X145

ALUMINUM SIGN OF FIRE-FIGHTING HOSE REEL WITH TEXT



ALUMINUM SIGN OF DELIVERY PUMP VVF ATTACK WITH TEXT



Code Dimensions
CAR1013 230X310

ALUMINUM SIGN OF ABOVE GROUND COLUMN HYDRANT WITH TEXT



Code Dimensions
CAR1015 230x310



ALUMINUM SIGN OF FIRE WALL DOOR WITH TEXT

ALUMINUM SIGN OF FIRE ALARM

ALUMINUM SIGN OF GENERAL ELECTRIC SWITCH





INTERRUTTORE
ELETTRICO
GENERALE
CENTRALE
TERMICA
USARE SOLO
IN CASO DI
EMERGENZA

Code

Dimensions







ALUMINUM SIGN OF FIRE-FIGHTING PUMP FACILITIES



ALUMINUM SIGN OF SMOKE DE-TECTING AREA



ALUMINUM SIGN OF MOTORPUMP CONNECTION



ALUMINUM SIGN OF DELIVERY ATTACK FOR FIRE ENGINE

PER AUTOPOMPA
Pressione massima 1.2 Mpa
RETE IDRANTI ANTINCENDIO

Code

Dimensions ALUMINUM SIGN OF COMBUSTIBLE SHUT OFF VALVE



ALUMINUM SIGN OF METHANE SHUT OFF VALVE



ALUMINUM SIGN EMERGENCY ROOM WITH TEXT



ALUMINUM SIGN ANTI-PANIC HANDLE WITH TEXT



Code

Dimensions **ALUINUM SIGN OF EMERGENCY EXIT**





SIGN OF DIRECTION TO FOLLOW



SIGN OF EMERGENCY EXIT DOWNWARD INDICATION



Code	Dimen- sions
CAR2005	230X310

SIGN OF EMERGENCY EXIT LEFTWARD INDICATON



Code	Dimen-
	sions

SIGN OF EMERGENCY EXIT RIGHTWARD INDICATION





SIGN OF EMERGENCY EXIT ON THE LEFT



 Code
 Dimensions

 CAR2007
 230X310

USCITA DI EMERGENZA

ALUMINUM SIGN OF COLLECTION POINT WITH TEXT



ALUMINUM SIGN INDICATES THE ACCESS OF UNAUTHORIZED VEHI-CLES AND PEOPLE IS PROHIBITED



Code Dimensions ALUMINUM SIGN INDICATES IS FORBIDDEN TO SMOKE AND USE OPEN FLAMES





ALUMINUM SIGN INDICATES SMOKING IS FORBIDDEN WITH ANNEXED LAW

ALUMINUM SIGN INDICATES IS FORBIDDEN TO USE WATER TO PUT OUT A FIRE HERE **ALUMINUM SIGN FOR GARAGE**







Code

Dimensions

ALUMINUM SIGN WITH WARNINGS FOR THERMAL POWER PLANT

MULTISYMBOL ALUMINUM SIGN

ALUMINUM SIGN INDICATES DO NOT TAKE THE ELEVATOR IN CASE OF FIRE, PLEASE USE THE STAIRS







Code

Dimensions Code

Dimensions

ALUMINUM SIGN INDICATES A LIVE PANEL

ALUMINUM SIGN INDICATES AN ELECTRIC PANEL

ALUMINUM SIGN DPI OBLIGATIONS



Dimensions





Code

7




ALUMINUM SIGN ROD SIGNAL N.



ALUMIN SIGN VIDEOTAPED AREA



NUMBERED STICKERS FROM 0 TO 9 - 40 PIECE FOR PAPER



ALUMINUM SIGN WITH COVID-19 RULES



ALUMINUM SIGN INDICATES THE RIGHT WAY TO WASH HANDS



ALUMINUM SIGN ALLOWS ENTRANCE



Signs are made on request for sizes and wording for media: Forex - Aluminum - Plexiglass - Stickers





Emme Antincendio s.r.l.

Sede produttiva: via del molino 40 - 40B • 52010 corsalone (AR) • Tel 0575.511320 • fax 0575.531521 • info@emme- italia.com

Negozio di Arezzo: via Luigi Galvani 69 • 52100 Arezzo (AR) • Tel 0575.380106 • commerciale@emme-italia.com

Negozio di Milano: via Giuseppe di Vittorio 11 • 20017 Mazzo di Rho (MI) • Tel 02.93900399 • milano@emme-italia.com

Negozio di Padova: via Polonia 35 • 35127 Padova (PD) • Tel 049.6453824 • padova@emme-italia.com

Negozio di Reggio Emilia: Via Mario Gasparini 13 · 42124 Reggio Emilia (RE) · Tel 0522.572982 · reggioemilia@emme-italia.com

Negozio di Roma: Via Amaseno 22 • 00131 Roma (RM) • Tel 06.85911083 • roma@emme-italia.com