



INDEX

| | |
|---|-----|
| Cabinets for flammable liquids | 202 |
| Cabinets for chemical liquids | 205 |
| Cabinets for chemical liquids : Acids and Bases | 206 |
| Cabinets for plant protection and pesticides | 207 |
| Cabinets for Compressed gases | 209 |
| Absorbent powders | 211 |
| Neutralizing of sulfuric acid | 215 |
| Absorbent line of universal liquids for wetting | 219 |
| Containers and carpets | 220 |
| ADR First Aid Kit | 222 |
| Locker room Cabinets | 224 |

5

CABINETS AND SPILLS

CABINETS FOR FLAMMABLE LIQUIDS

Modular safety cabinets for the storage of flammable liquids made of carbon steel sheet P02 thickness 10/10, pre-treated with phosphor degreasing in tunnel high temperatures, epoxy-polyester varnish RAL 1021 and cooking in thermal tunnel 180 °. Equipped with height-adjustable containment shelves and a watertight collection tank on the bottom with rubber seals, n. 2 lateral ventilation grids and one positioned on the roof with flame-cutting system specially designed for air recirculation or for The forced aspiration. Rounded edge, sturdy hinges in zamak thickness 6 mm, grounding cable, adjustable feet, ergonomic plastic and aluminium lock with double key complete with rod closure with anti-tamper cover. The cabinets are supplied disassembled in a sturdy custom-made packaging, placed on a single pallet. The assembly is quick and easy, with manual instructions contained in each kit. Built as a rule of art in response to current regulations regarding environmental protection and pollution prevention. Safety labelling as provisions of the current legislation.

Dim. mm 1075X500X1850H

CUSTOMIZABLE



2 Blind Doors
3 Containment Shelves (7 lt)
Bottom tank (27 LT)

| CODE | PRICE |
|------|------------|
| 1326 | € 1.599,00 |



Dim. mm
575X500X1850H

1 Blind Door
3 Retaining Shelves (4 lt)
Bottom tank (14 LT)

CUSTOMIZABLE

| CODE | PRICE |
|------|------------|
| 1328 | € 1.334,67 |



CUSTOMIZABLE

Dim. mm
1075x500x1100H
2 Blind Doors
2 Containment Shelves (7lt)
Bottom tank (27 LT)

| CODE | PRICE |
|------|------------|
| 1327 | € 1.252,33 |



Dim. mm
575x500x1100H

1 Blind Doors
2 Containment Shelves (4 lt)
Bottom tank (14 LT)

CUSTOMIZABLE

| CODE | PRICE |
|------|----------|
| 1329 | € 972,83 |








Dim. mm
415x300x600H

1 Blind Door
1 Containment Shelf (2.5 Lt)

Collection tank (3.6 Lt)

CUSTOMIZABLE

| CODE | PRICE |
|-------|----------|
| 10103 | € 478,83 |

| CABINET | | | SHELVES | | BOTTOM TANK | | WEIGHT IN KG | | MOUNTED: EXTERNAL MEASUREMENTS IN CM | | | | PACKAGING: SIZE IN CM | | | |
|---------|--|-------|---------|----------------|-------------|-----|--------------|-------------|--------------------------------------|----|-----|----------------|-----------------------|----|----|----------------|
| DOOR | SCHEME | CODE | N | PORTATA CAD. | N | LT | NETTO | CON IMBALLO | L | P | H | M ³ | L | P | H | M ³ |
| 2 DOORS |  | 1326 | 3 | lt.7 Kg. 100 | I | 27 | 90 | 100 | 107,5 | 50 | 185 | 0,99 | 186 | 40 | 70 | 0,52 |
| |  | 1327 | 2 | lt. 7 Kg. 100 | I | 27 | 60 | 70 | 107,5 | 50 | 105 | 0,56 | 115 | 40 | 70 | 0,32 |
| 1 DOOR |  | 1328 | 3 | lt. 4 Kg. 100 | I | 14 | 60 | 70 | 57,5 | 50 | 185 | 0,53 | 186 | 30 | 70 | 0,39 |
| |  | 1329 | 2 | lt. 4 Kg. 100 | I | 14 | 40 | 50 | 57,5 | 50 | 105 | 0,30 | 115 | 30 | 70 | 0,24 |
| |  | 10103 | 1 | lt. 0,8 Kg.100 | I | 3,6 | 7 | 7,5 | 41,5 | 30 | 60 | 0,08 | 50 | 65 | 10 | 0,03 |

Packing, resistant, with reduced dimensions-strat on pallet to measure, for easy handling and a considerable reduction of transport costs. Each package includes a fitting accessory bag and an instruction manual.



Ergonomic handle lock in plastic and aluminium, with double key



Rounded corners and mounting screws retractable.



Reinforced hinges in Zamak.



Ventilation grid Upper removable-pre-disposition for forced suction (hole Ø 100 mm).



Adjustable feet in height.



Positionable shelf bracket.



Side ventilation grid.

CABINETS FOR FLAMMABLE LIQUIDS

| CODE | PRICE |
|-------|------------|
| 10104 | € 9.938,49 |



Dim. mm
1180x650x1985H

2 Blind Doors
3 Containment Shelves
Shelf Capacity: Kg. 80 CA
Shelf capacity: Lt. 40 CA
Tank capacity: Lt. 40 CA
Internal Volume: Lt. 820 CA
Weight: Kg. 490

The Cabinets code 10104 and 10105 are insulated certificates for the storage of LT. 160 about flammable liquid and solid products in accordance with en 14470-1, en 14727 fire-resistance class TYPE 90 (90 minutes). Fire Test carried out at accredited laboratories and according to En 1363-1:1999 and UNI en 1363-1:2001.

The active carbon filter in granules
Material: PVC/stainless Steel
N ° Filter Cartridges: 1
Cartridge Weight: 1.75 Kg.
Diam. Input/Output 125 mm
Total weight Filter: Kg 3.5

| CODE | PRICE |
|-------|------------|
| 10990 | € 1.341,17 |



Dim. mm
250x250x250H



| CODE | PRICE |
|-------|------------|
| 10105 | € 7.087,16 |

The filter code 2250 and the Aspirators code 2251 and 2252 can also be adapted to the other cabinets of the lines:
-Chemical liquids
-Flammable liquids
-Phytosanitary and pesticides

Dim. mm
680x650x1985H

1 Blind Door
3 Containment Shelves
Shelf Capacity: Kg. 80 CA
Shelf Capacity: Lt. 7 AC
Tank capacity: Lt. 20 AC
Internal Volume: Lt. 408 CA
Weight: Kg. 350

ATEX Vacuum Cleaner According to European directives and standards 94/9/CEE ATEX.
En 1127-1/en 13463-1
Material: Polypropylene
Diam. Input/output: 125 mm
Power: 180 W
Noise level: 68 DB
Weight: Kg 11

| CODE | | PRICE |
|---------|---------------|------------|
| 10990-1 | 1-phased 220V | € 3.579,33 |
| 10990-2 | 3-phased 380V | € 3.135,16 |



Dim. mm
268x350x280H

Modular safety cabinets for the storage of chemical liquids made of carbon steel sheet P02 thickness 10/10, pre-treated with phosphor degreasing in high temperature tunnels.

Painting with innovative and special thermoplastic material based on polyethylene, which allows a high thickness coating suitable for resistance to corrosive chemical agents, blue RAL5011, and firing in thermal tunnel 180 °.

Equipped with height-adjustable containment shelves and a watertight collection tank on the bottom with rubber seals, n. 2 lateral ventilation grids and one positioned on the roof with flame-cutting system specially designed for air recirculation or for The forced aspiration.

Rounded edge, sturdy hinges in zamak thickness 6 mm, grounding cable, adjustable feet, ergonomic plastic and aluminium lock with double key complete with rod closure with anti-tamper cover.

The cabinets are supplied disassembled in a sturdy custom-made packaging, placed on a single pallet. The assembly is quick and easy, with manual instructions contained in each kit.

Built as a rule of art in response to current regulations regarding environmental protection and pollution prevention. Safety labelling as provisions of the current legislation.



CUSTOMIZABLE

Dim. mm
1075x500x1850H

2 Blind Doors
3 Retaining Shelves (7 lt)
Bottom tank (27 LT)

| CODE |
|------------|
| 10106 |
| PRICE |
| € 1.776,66 |



Dim. mm 1075x500x1100H



CUSTOMIZABLE

2 Blind Doors 2 retaining shelves (7 lt)
Bottom tank (27 LT)

| CODE |
|------------|
| 10107 |
| PRICE |
| € 1.386,67 |

| CABINET | | | SHELVES | | BOTTOM TANK | | WEIGHT IN KG | | MOUNTED: EXTERNAL MEASUREMENTS IN CM | | | | PACKAGING: SIZE IN CM | | | |
|---------|---|-------|---------|------------------|-------------|----|--------------|----------------|--------------------------------------|----|-----|------|-----------------------|----|----|------|
| DOORS | SCHEME | CODE | N | CAPACITY | N | LT | NET | WITH PACKAGING | L | P | H | M³ | L | P | H | M³ |
| 2 DOORS |  | 10106 | 3 | lt.7 Kg. 100 | 1 | 27 | 90 | 100 | 107,5 | 50 | 185 | 0,99 | 186 | 40 | 70 | 0,52 |
| |  | 10107 | 2 | lt. 7 Kg. 100 | 1 | 27 | 60 | 70 | 107,5 | 50 | 105 | 0,56 | 115 | 40 | 70 | 0,32 |

CABINETS FOR CHEMICAL LIQUIDS: ACIDS AND BASES

Cabinets made entirely of pickled steel, thickness 10/10 with epoxy powder coating and passage in thermal tunnel at 200 ° C. Palletized plinth designed to make moving the cabinet easier. With cover front panel. Monolithic external structure completely welded. Granular active charcoal filter placed inside the easy to replace cabinet. Electronic Cunctator device for the replacement of the filter cell. Electroaspirator made of class V0 polymer, able to guarantee the highest degree of self-extinguishing. Warning signs danger presence corrosive, noxious and toxic products in conformity with Italian and European safety regulations. Door opening at 110 ° that allows the extraction of the shelf without tilting it. Concealed hinges resistant to corrosive products. Grounding clamp for any refills. Complying with standards EN 14727:2006; EN 61010-1:2010; PPP52125:2011



| CODE | PRICE |
|-------|------------|
| 10991 | € 8.797,96 |

Dim. mm
1200x500x1990H

2 Blind doors
3 containment Shelves
Shelf load: Kg. 100 shelf Capacity: Lt. 15
CA
Base Tank Capacity: Lt. 44 CA
Internal Volume: Lt. 824 CA
Total storage: Lt. 160
Weight: Kg. 146



| CODE | PRICE |
|---------|------------|
| 10991-1 | € 7.381,83 |

Dim. mm
600x500x1990H

1 acid Storage compartment: Equipped with 2 shelves, in acid-coated steel, in a pan for the eventual containment of liquids in case of accidental breakage up to about 8 litres.

1 Storage Compartment Bases: Equipped with 2 shelves, in stainless steel, with tank for the containment of liquids in case of accidental breakage of the containers up to approx. 8.

CAD shelf Capacity: Kg 40/100
Capacity CAD Shelf: Lt 90
Weight: Kg 105

Modular safety cabinets for the storage of plant protection products made of carbon steel sheet P02 thickness 10/10, pre-treated with phosphor degreasing in high temperature tunnels. Epoxy-polyester varnishing in RAL6001 green colour and firing in thermal tunnel 180°. Equipped with height-adjustable containment shelves and a watertight collection tank on the bottom with rubber seals, n. 2 lateral ventilation grids and one positioned on the roof with flame-cutting system specially designed for air recirculation or for The forced aspiration. Rounded edge, sturdy hinges in zamak thickness 6 mm, grounding cable, adjustable feet, ergonomic plastic and aluminium lock with double key complete with rod closure with anti-tamper cover. The cabinets are supplied disassembled in a sturdy custom-made packaging, placed on a single pallet. The assembly is quick and easy, with manual instructions contained in each kit. Built as a rule of art in response to current regulations regarding environmental protection and pollution prevention. Safety labelling as provisions of the current legislation.



CUSTOMIZABLE

Dim. mm
575x500x1850H

1 Blind Door
3 Retaining Shelves (4 lt)
Bottom Collection tank
(14 LT)
Total Storage:
78 LT

| CODE | PRICE |
|-------|------------|
| 10093 | € 1.334,67 |



CUSTOMIZABLE

Dim. mm
1075X500X1850H

2 Blind Doors
3 Containment Shelves
Bottom Collection tank (27 LT)
Total Storage: 144 LT

| CODE | PRICE |
|-------|------------|
| 10108 | € 1.599,00 |



2 Blind Doors
3 Retaining Shelves (6 Lt)
Bottom tank (26 lt)
Total Storage: 132 LT

Dim. mm 1000x460x1800H

| CODE | PRICE |
|-------|------------|
| 10096 | € 1.148,33 |

CYLINDER BLOCK



CUSTOMIZABLE

Dim. mm 1075x500x1100H

2 Blind Doors
1 Containment Shelf (7 lt)
Bottom tank (27 LT)
Total Storage: 123 LT

| CODE | PRICE |
|-------|------------|
| 10094 | € 1.252,33 |

CABINETS FOR PLANT PROTECTION AND PESTICIDES

CYLINDER BLOCK



| CODE |
|----------|
| 10097 |
| PRICE |
| € 806,00 |

2 Blind Doors
2 Containment Shelves (6 lt)
Bottom tank (26 lt)
Total Storage: 111 LT

Dim. mm
1000x460x1000H





CUSTOMIZABLE



| CODE |
|----------|
| 10095 |
| PRICE |
| € 972,83 |

Dim. mm
575x500x1100H

1 Blind Door
2 Containment Shelf (4 lt)
Bottom tank (14 LT)
Total Storage: 66 LT

| CABINET | | | RIPIANI | | BOTTOM TASK | | WEIGHT IN KG | | MOUNTED: EXTERNAL MEASUREMENTS IN CM | | | | PACKAGING: SIZE IN CM | | | |
|---------|---|-------|---------|------------------|-------------|----|--------------|----------------|--------------------------------------|----|-----|----------------|-----------------------|----|----|----------------|
| DOORS | SCHEME | CODE | N | CAPACITY | N | LT | NET | WITH PACKAGING | L | P | H | M ³ | L | P | H | M ³ |
| 2 DOORS |  | 10108 | 3 | lt.7 Kg. 100 | 1 | 27 | 90 | 100 | 107,5 | 50 | 185 | 0,99 | 186 | 40 | 70 | 0,52 |
| |  | 10094 | 2 | lt. 7 Kg. 100 | 1 | 27 | 60 | 70 | 107,5 | 50 | 105 | 0,56 | 115 | 40 | 70 | 0,32 |
| 1 DOOR |  | 10093 | 3 | lt.4 Kg. 100 | 1 | 14 | 60 | 70 | 57,5 | 50 | 185 | 0,53 | 186 | 30 | 70 | 0,39 |
| |  | 10095 | 2 | lt. 4 Kg. 100 | 1 | 14 | 40 | 50 | 57,5 | 50 | 105 | 0,30 | 115 | 30 | 70 | 0,24 |



| CODE |
|------------|
| 10992 |
| PRICE |
| € 1.066,00 |

Made of hot-dip galvanized steel.
Protection against unauthorized withdrawals thanks to sealable and lockable closure. It does not allow the stagnation of gas waste. With 1 hinged door
Capacity of stored cylinders: 4x33lt or 10X11LT
Removable internal shelf
Size
840x690x1500h (mm)



| CODE |
|------------|
| 10992-1 |
| PRICE |
| € 3.434,16 |

Made of hot-dip galvanized steel.
With 1 hinged door.
With sealable and lockable closure that allows protection against unauthorized withdrawals.
It does not allow the stagnation of gas waste.
Suitable for anchoring to the ground.
Internal subdivision in lanes with safety chains.
Complete with ramp to facilitate storage.
Capacity of stored cylinders: 12 from 50LT each (Ø 230 mm)
Dimensions 1200x950x2000h (mm)



| CODE |
|------------|
| 10992-2 |
| PRICE |
| € 2.119,00 |

Made of hot-dip galvanized steel.
With 1 hinged door.
With sealable and lockable closure that allows protection against unauthorized withdrawals.
It does not allow the stagnation of gas waste.
Suitable for anchoring to the ground.
Complete with ramp to facilitate storage.
Capacity of stored cylinders: 4 from 50 Lt each (diam. 230 mm)
Dimensions 600x600x2000h

CABINETS FOR COMPRESSED GASES FPR INTERNAL USE

Cabinets completely made of decked steel, thickness 10/10 and electro-galvanized with Antiacid epoxy powder verniciatura and passage in thermal tunnel at 200 ° C. Built with double casing composed of internal body and outer shell; Fireproof insulation made up of material with high resistance to fire completely ecological. Internal shell with panelling in material resistant to corrosive products. Heat-expanding gasket (DIN 4102) and spark-proof hinges. Internal non-forced ventilation system complete with 2 safety valves certified to automatic safe at an ambient temperature of 70 + _10°C placed one at the top and one at the bottom to guarantee the automatic spillage of the substances. External connection of 100 mm. Predisposition for the passage of gas systems. Space for gearboxes and distribution units. Brackets for anchoring the cylinders. Metal ramp to facilitate the placement of the cylinders. possibility of inserting gas-fuge monitoring systems. Safety closure complete with handle and cylinder. Grounding to prevent electrostatic charges. Warning signs danger presence of flammable products and prohibition of smoking, as in Italian and European safety standards. Adjustable feet to allow the cabinet to be put into the bubble.



| CODE | Storage: 3-4 Gas cylinders |
|-------------|---|
| 10993 | Adjustable feet: No. 6 |
| PRICE | Weight: 460 Kg |
| € 10.367,06 | External dimensions: 130x600x2015 mm (LXDXH) |



| CODE | Storage: 2 Gas cylinders |
|------------|---|
| 10993-1 | Adjustable feet: No. 4 |
| PRICE | Weight: 300 Kg |
| € 7.830,33 | External dimensions: 700x600x2015 mm (LXDXH) |

-C-DUST is an absorbent alumina-based

-Thanks to its characteristics, it can be used on solid surfaces in open or closed environments.

-Absorbs any type of hydrocarbons, paints, solvents, tar, both in liquid and oily state

-It is excellent for reclamation of soils contaminated with hazardous substances.

-Being a mineral product, it is chemically inert, non-toxic, non-harmful and does not present any kind of danger to the personnel who use it.

-C-DUST sprinkled on oil or any other liquid, absorbs it immediately avoiding that the polluting product enters the soil contaminating it.

-particularly suitable for use on paving and roads of all kinds.

-even completely saturated, C-DUST remains absolutely anti-skid, totally cancelling the slipperiness of the treated surface, for this reason is used in workshops, service stations and industrial activities

-Absorbent (even if pressed, does not release the absorbed material).

-Reutilizable up to 4-5 times on hydrocarbons.

Non-slip.

Non-toxic powder.

-Dust is not harmful.

-Non-flammable powder.

-Chemically inert powder.

-it does not produce sludge and does not solidify.

-High absorbing power.



| CODE | Type | Packaging | Weight in Kg | PRICE |
|--------|----------|-----------|--------------|----------|
| 8541 | Powder | Bag | 10 | € 99,67 |
| 8541-1 | | Bucket | 10 | € 117,00 |
| 8541-2 | | | 3 | € 43,33 |
| 8541-3 | Granular | Bag | 10 | € 80,17 |

- OKO-C The powder-binding absorbent with total saturation water-repellent.
- Powder absorber for oils and hydrocarbons, dry and in water.
- particularly suitable for use in aquatic environments contaminated by oils and hydrocarbons-thanks to its qualities it retains pollution and not water forming large lumps that, not going to the bottom but staying afloat make it easy and easier to recover.
- Excellent for environmental ecological reclamations.
- Reduces oily content in polluted water by more than 95%.
- Easy to use even in dry environments, it is used like the normal sawdust, spreading it on the spill leaving to act and then be easily collected and disposed of.
- Absorbs, depending on the product being processed, 30 to 80 kg of liquid.
- Thanks to its minimum weight and its absorbing power it contains considerably the costs of disposal.
- even if pressed, it holds the oil.
- It is a harmless product for the environment-it does not contain aggressive chemical ingredients so you can manipulate it without problem.
- Excellent floating properties in water even if saturated with oil.



| CODE | WEIGHT IN KG | VOLUME IN LT | PACKAGING | TYPE | PRICE |
|---------|--------------|--------------|-----------|----------|---------|
| 10994 | 8 | 50 | Bag | Powder | € 49,40 |
| 10994-1 | 16 | 50 | | Granular | € 82,33 |

WHITE SORB is a 100% recycled mineral absorbent resulting from suitably crushed, filtered and quenched building material.

As mineral material is not a flammable product (therefore in case of fire does not release harmful gases).

- it does not release the absorbed substances.
- It's biologically inert.
- it doesn't contain any harmful additives.
- it's not toxic or aggressive.

It is a universal absorbent that can absorb any kind of liquid or oily product.

It can be used in mechanical workshops, automotive industries, aeronautics, oil and chemicals, garages, petrol stations, roads, highways and transit areas in general.



| CODE | WEIGHT IN KG | TYPE | PACKAGING | PRICE |
|---------|--------------|-----------------|-----------|---------|
| 10995 | 20 | Powder | Bag | € 39,00 |
| 10995-1 | 20 | Granular medium | | € 39,00 |

-Sepiolite is a highly porous, low-weight, mineral fine powder with high absorbency characteristics ideal for all types of liquids (oil, petrol, water, etc.).

-It is an essential product for factories, workshops, road funds and work areas in general in cases where accidental spills can cause accidents, fermentations, dangers and unwanted odors.

-it is used in its natural form at 100%, without having to be mixed.

-Substance not considered hazardous in conformity with Directive 1999/45/EC, and European Directives 91/155/EEC, 93/112/EC and 2001/58/EC.

NON-FLAMMABLE

NON-EXPLOSIVE

NON-COMBUSTIBLE

NON-DEGRADABLE

Inert and non-toxic product of natural origin



| CODE | WEIGHT IN KG | TYPE | PACKAGING | PRICE |
|--------|--------------|----------|-----------|---------|
| 8477 | 20 | Powder | Bag | € 24,92 |
| 8477-1 | 20 | Granular | | € 24,92 |

ABSORBENT POWDERS FOR UNIVERSAL LIQUIDS

- Multisorb is an industrial resinous, flame retardant plant absorbent for liquids and fats, with absorption capacity from 400% to 650% of its weight.
- Absorbs all types of liquid, oil, water, solvents, inks, weak acids and bases, chemicals, fats, fats, as well as mixtures and other dirt scattered incidentally on soils.
- Composed of lignin and cellulose, contains no clay or silicone.
- Recommended for use on roads and highways of the National road network.
- Destruction by incineration or transfer to the landfill following the regulations in force and on the basis of the absorbed product.

- Made of solid rose granules Ph: 6 (+/-5)
- Volumetric Mass: 140 at 160 kg/m³-Humidity: 10 to 185%
- Particle size content from 0.5 to 1.4 mm.
- Density 0.170 ± 0.03.
- Absorbs 400% to 650% of its weight.
- Chemically neutral.
- Water-resistant fireproofing: 7%.
- It doesn't propagate fire.
- It doesn't form sludge.
- Not toxic.
- Not abrasive.
- Non-slip.
- Dust-free and dry.
- Biodegradable.
- 100% vegetable.



| CODE | WEIGHT IN KG | VOLUME IN LT | PACKAGING | PRICE |
|------|--------------|--------------|-----------|---------|
| 6271 | 6,5 | 45 | Bag | € 35,32 |

Solfonet is a specific powder for the neutralization and absorption of hazardous liquids, it solves the sudden leakage of sulphuric acid from the accumulators (batteries) caused by the breakage of the structure and/or accidental spills, avoiding damage To people and preventing it from being absorbed by the soil.

-absorbs completely incorporating the sulphuric acid of the spilled batteries without ever releasing it.

-The surface remains clean, dry and walkable.

-Thanks to the content of a mixture of special powders that give an exothermic reaction (neutralization heat) that lasts about 3-4 minutes, solfonet neutralizes the absorbed sulphuric acid.

-After the neutralisation phase, dispose of it in accordance with the rules in force, bearing in mind that what results after the two phases of solfonet can be classified as a non-hazardous special waste.



Ministry of Environment and Land and sea protection DM Environment 24 January 2011, No. 20
Regulation identifying the measurement of absorbing and neutralising substances to be equipped with installations intended for the storage, recharging, maintenance, storage and replacement of accumulators. (OJ no 60, 14/03/2011)
Text in force from 29/03/2011

| CODE | WEIGHT IN KG | PACKAGING | PRICE |
|-------|--------------|-----------|---------|
| 10996 | 5 | Bag | € 99,67 |

KIT OF NEUTRALIZING AGENT FOR SULPHURIC ACID

Emergency Kit spill sulphuric acid in a metal cabinet painted in orange coloured polyester, with blind door and lock.

Dimensions: 400x200x580h mm

Neutralizing Power LT 10 of acid.

Content:

- Kg. 5 Absorbent Powder solfonet
- N. 4 absorbent cloths for chemical liquids dim. 41x46 cm
- N. 1 pair of anti-acid gloves
- N. 1 brush and Scoop
- N. 4 waste Disposal bags
- N. 1 pair of safety glasses
- N. 1 protection Mask
- N. 1 instruction manual



| CODE | PRICE |
|------|----------|
| 9683 | € 409,50 |

Emergency Kit spill sulphuric acid in cabinet metallic lacquered in orange colour, with blind door and lockable seal lock.

Dimensions: 400px500lx700h mm

Neutralizing Power LT 27 of acid.

Content:

- Kg. 17.5 solfonet
(1 bag of 2, 5 kg., 3 sacks of 5kg.)
- N. 2 absorbent stockings for causticotoxic acid liquids
- N. 3 bags Waste Disposal
- N. 2 1 pair of anti-acid gloves
- N. 1 pair safety Glasses
- N. 1 protection Mask
- N. 1 instruction manual



| CODE | PRICE |
|--------|----------|
| 9683-2 | € 730,17 |

Emergency Kit spill sulphuric acid in cabinet metallic lacquered in orange colour, with blind door and lockable seal lock.

Dimensions: 400px730lx1000h mm

Neutralizing Power LT 54 of acid.

Content:

- 35 kg Solfonet (7 sacks 5 kg.)
- N. 2 absorbent stockings for acid liquids
- N. 4 bags waste Disposal
- N. 2 1 pair of anti-acid gloves
- N. 1 pair safety Glasses
- N. 1 protection Mask
- N. 1 instruction manual

| CODE | PRICE |
|--------|------------|
| 9683-3 | € 1.345,50 |



Emergency Kit spill sulphuric acid in PP, orange colour, with wall fixing device, with ergonomic handle and snap closure.

Dimensions: 400px500lx150h mm

Lt 4 neutralizing power of acid.

Content:

- Kg. 2.5 solfonet Absorbent powder cod. Dus531
- N. 1 pair of anti-acid gloves
- N. 1 Toilet brush and scoop
- N. 4 waste Disposal bags
- N. 1 pair safety Glasses
- N. 1 protection Mask
- N. 1 instruction manual

| CODE | PRICE |
|--------|----------|
| 9683-4 | € 137,58 |



DUSTS DISSOLVE SNOW AND ICE

- De-icing product to eliminate in a quick and reliable way ice and snow, up to temperature -50°.
- Offer a PROLONGED ACTION from the ice formation up t three days after (a normal ice formation, with other snows and rains).
- Thanks to the lack of aggressive components (it is comnpletaly DEVOID OF SALTS) and to its special flat shape does not damage the flora and the fauna. (so we avid the salt aggression in the animals paws).
- It does not attack plastic, marble and cement floors, ideal also for ramps with inclination up to 45° ca.
- It dissolves water totally, not cover the ducts of the raceways and it not disturb the raceways or the purificant plants. It's avaiable in flakes and liquid shapes (in saturated solution at about 35%).

8 TIMES MORE EFFECTIVE THAN COM-



| CODI | WEIGHT IN KG | CAPACITY IN LT | TYPE | PACKAGING | PRICE |
|---------|--------------|----------------|--------|-----------|----------|
| 1099 | 20 | / | Flakes | Bucket | € 107,25 |
| 10997-1 | 10 | / | | | € 64,57 |
| 10998 | 26 | 20 | Liquid | Tank | € 114,83 |
| 10998-1 | 13 | 10 | | | € 71,50 |



ABSORBED TOWELS

Highly absorbent and resistant product composed by a polypropylene fiber, suitable for all types of spills, leaks or drips of industrial liquids (water, solvents, oil, lubricants, chemicals...).

Available in different shapes and measure for every different application, from flammable liquids manipulation to the clean of rough surfaces or spills of various kinds.

Towels for their versatility are used to absorb spill in every situation. They are static products to facilitate the handling of flammable liquids.

Packaged in comfortable box dispenser for greater cost efficiency. Very useful in industrial environments guarantee the workplace is always clean and safe .

Easy to use and reusable, they are applicable in any case of liquid leakage as long as they are not caustic and toxic. d

Dimensions:

41x46 cm every towels.



| CODE | DIMENSIONS IN CM | PIECE FOR BOX | ABSORBENT POWER LT FOR BOX | PACKAGE | QUALITY | | PRICE |
|---------|---------------------|------------------|-------------------------------|---------------|----------|---------|----------|
| | | | | | PUNCTURE | PRE-CUT | |
| 10999 | 41x46 | 100 | 120 | Dispenser box | YES | YES | € 312,00 |
| 10999-1 | 41x46 | 200 | 163 | Dispenser box | YES | YES | € 333,67 |

ABSORBERS PILLOWS

| CODE | DIMENSIONS IN CM | PIECE FOR BOX | ABSORBENT POWER LT FOR BOX | PACKAGE | PRICE |
|---------|---------------------|------------------|-------------------------------|---------|----------|
| 11000 | 25x25 | 20 | 57 | Box | € 247,00 |
| 11000-1 | 46x46 | 10 | 78 | Box | € 316,33 |



CALZE ASSORBITORI



| CODE | DIMENSIONS IN CM | PIECE FOR BOX | ABSORBENT POWER LT FOR BOX | PACKAGE | PRICE |
|---------|---------------------|------------------|-------------------------------|---------|----------|
| 11001 | 7,6x122 | 15 | 85 | Box | € 212,33 |
| 11001-1 | 7,6x122 | 40 | 220 | Box | € 459,33 |

EXHAUSTED PILES BIN

- Made in polypropylene.
- Predisposition for wall or pole mounting supporting
- Drop-down lid with security closure and top opening

Dimensions:
500x380x800H mm



| CODE | PRICE |
|------|----------|
| 9162 | € 357,50 |

POLYETHYLENE CONTAINERS

- Waste containers polyethylene.
- High lasting density.
- Recyclable.
- Resistant to atmospheric agents, chemical agents and to UV rays
- Munito di coperchio incernierato
- 2 full rubber wheels
- Metal rod with anti-corrosion protection thanks to galvanizing and chrome plating
- With ergonomic handling handle thanks to a larger diameter with a truncated pyramid section.
- Available in standard colour GREEN, BROWN, BLUE, GREY, YELLOW, WHITE and RED.
- Certification UNI EN840.
- EWheels diameter: 200 mm

| CODE | | Weight (Kg) | Useful load in (Kg) | Dimensions in cm (LxPxH) | PRICE |
|---------|---|-------------|---------------------|--------------------------|----------|
| 11003 | 1 | 11,3 | 48 | 48x56x93,5 | € 140,83 |
| 11003-1 | 2 | 15,5 | 96 | 58x73,5x106,5 | € 216,67 |
| 11003-2 | 3 | 23 | 136 | 62,5x86x109,6 | € 385,67 |

Capacity:
1- 120 LT
2- 240 LT
3- 360 LT

COVER MANHOLE CARPETS

The security cover manhole carpet is used to prevent filtrations, easy to use in emergency, just spread it directly on the manhole. Made in PVC and high-quality, durable and flexible polymers, it joins perfectly to the floor even when its show up imperfect, grainy and with cracks. It's resistant to water, to hydrocarbons and to the most aggressive chemical components
Carpet is practically eternal: after use it is sufficient to wash it and it is ready to use again and available in different sizes.



| CODE | Dimensions in cm | Thickness in cm | PRICE |
|---------|------------------|-----------------|------------|
| 11002 | 46x46 | 1,3 | € 342,33 |
| 11002-1 | 61x61 | 1,3 | € 550,33 |
| 11002-2 | 91x91 | 1,3 | € 1.172,17 |
| 11002-3 | 120x120 | 1,3 | € 1.924,00 |

PACKAGE: CARDBOARD



TAPE FOR DPI




TECHNICAL FEATURES:
Material: polypropylene, nylon, polycarbonate
Production process: Injection molding

External dimensions (mm): 616x735x270
Internal dimensions (mm): 520x675x238
Weight (kg): 7.20

- COMPONENTS
- EPDM seal
 - Double nylon closure
 - Polycarbonate inspection windows
 - Resin label
 - Horizontal shelves

- OPTIONAL COMPONENTS
- Plug for closure



- 1 Cash and cover with reinforced structure
- 2 EPDM gasket (avoids the entry of water and dust)
- 3 Reinforced fastening points
- 4 Double ergonomic nylon closure
- 5 Horizontal shelves
- 6 Locking cylinder option
- 7 Customizable logo
- 8 Made in Italy



| CODE | DESCRIPTION | PRICE |
|--------|-------------------------|----------|
| 1668-5 | Slide + 2 shelves | € 196,99 |
| 1668-6 | Slide + 2 shelves + key | € 196,99 |

ADR BAG

Emergency kit for units intended for the transport of dangerous goods by road.

The content complies with current legislation in Italy and in Europe

Emergency kit for Normative of reference:

- DM 04/09/1996 implementation of the European Directive 94/55/CE
- DM 15/05/1996 implementation of the European Directive 96/86/CE
- DM 28/09/1999 implementation of the European Directive 1999/47/CE

IMPORTANT: the vehicles must have a wedge block suitable wheels and any material provided for by the instructions written to the driver (TREM CARD) on the basis of the goods transported (marginal 10,385).

BAG in 600D blue polyester, handle and shoulder strap for transport, upper compartment and separate lower compartment (with rigid bottom for shoes or other), side pocket and yellow ADR side writing.

Bag dimensions: 510x320x520H

| CODE | MODEL | PRICE |
|--------|--------------|----------|
| CPS619 | ADR STANDARD | € 531,67 |
| CPS620 | ADR GAS | € 725,00 |

Bag content ADR STANDARD:

- 2 Signaling lamps Cod. 6157
- 4 Batteries Cod. 6158
- 2 Orange V Vest Cod. 4538
- 2 Atex hand torches Cod. 6210
- 1 Pair of gloves Cod. 6296
- 1 Roll of ribbon B / R Cod. NSP720BR
- 2 Bottles sterile saline solution Cod. ACQ414
- 1 P.S. case Annex 1 pursuant to Ministerial Decree 388 of the Code CPS513
- 1 pair of glasses Cod. 10401
- 1 Disposable coverall Cod. 10740



Bag content ADR TRASPORTO GAS:

- 2 Signaling lamps Cod. 6157
- 4 Batteries Cod. 6158
- 2 Orange V Vest Cod. 4538
- 2 Atex hand torches Cod. 6210
- 1 Pair of gloves Cod. 6296
- 1 Roll of ribbon B / R Cod. NSP720BR
- 2 Bottles sterile saline solution Cod. ACQ414
- 1 P.S. case Annex 1 pursuant to Ministerial Decree 388 of the Code CPS513
- 1 pair of glasses Cod. 10401
- 1 Disposable coverall Cod. 10740
- 1 Full face mask Cod. 6187
- 1 ABEK2P3R filter for mask Cod. 6197



Optional articles:

- 1 Double-sided tripod "DANGER OF FALL" color yellow Cod. 6091
- 1 ATEX folding basket Cod. 6180
- 1 Wheel stop wedge Code CLZ6841
- 1 Yellow helmet Cod. 6216
- 1 Yellow boot Cod. 4637
- 1 Neoprene glove
- 1 Road cone cm. 50 Cod. COP250BR
- 1 Orange ballast bag Cod. DSM6040
- 1 Cover plate Code 6086
- 1 P.S. case according to DIN 13164B Cod. CPS222 (for abroad)



Emergency kits easily adaptable to the cabins of means of transport, with contents designed to meet the ADR regulations concerning the safety of the transport of dangerous material.

KIT FOR UNIVERSAL WITH MINIMUMJ ABSORBENT 21 LT

| CODE | MINIMUM ABSORBENT KIT IN LT | WEIGHT IN KG | DIMENSIONS IN CM (LxPxH) | PRICE |
|-------|--------------------------------|-----------------|-----------------------------|----------|
| 10743 | 21 | 5 ca | 50x60x15 | € 153,83 |

Content:

| | |
|--------------------------------|------------------------------|
| 15 Towels 41x46 | 1 Pair of protective glasses |
| 2 Tights Diam. 7,6x122 cm | Instruction manual |
| 1 Gloves pair in nitrile | |
| 1 Nylon bag with window in PVC | |



KIT FOR UNIVERSALS WITH MINIMUM ABSORBENCE 25 LT

| CODE | MINIMUM ABSORBENT KIT IN LT | WEIGHT IN KG | DIMENSIONS IN CM (LxPxH) | PRICE |
|---------|--------------------------------|-----------------|-----------------------------|----------|
| 10743-1 | 25 | 3 ca | 14x36x50 | € 201,50 |

Content:

| | |
|---------------------------|------------------------------|
| 15 Towels 41x46 | 2 Bags for disposal |
| 2 Tights Diam. 7,6x122 cm | 1 Pair of nitrile gloves |
| 2 Pillows 25x25 cm | 1 Pair of protective glasses |
| | 1 Shockproof PPA case |



KIT FOR UNIVERSALS WITH MINIMUM ABSORBENCE 25 LT

| CODE | MINIMUM ABSORBENT KIT IN LT | WEIGHT IN KG | DIMENSIONS IN CM (LxPxH) | PRICE |
|---------|--------------------------------|-----------------|-----------------------------|----------|
| 10743-2 | 25 | 3 ca | 14x36x50 | € 196,08 |

Content:

| | |
|--------------------------------|--------------------------|
| 25 Towels 41x46 | 1 Gloves pair in nitrile |
| 4 Tights Diam. 7,6x122 cm | 1 Box for waste disposal |
| 1 Nylon bag with window in PVC | |



KIT FOR UNIVERSALS WITH MINIMUM ABSORBENCE 25 LT

| CODE | MINIMUM ABSORBENT KIT IN LT | WEIGHT IN KG | DIMENSIONS IN CM (LxPxH) | PRICE |
|---------|--------------------------------|-----------------|-----------------------------|----------|
| 10743-3 | 25 | 3 ca | 14x36x50 | € 472,33 |

Content:

| | |
|---------------------------|------------------------------|
| 50 Towels 41x46 | 1 Pair of nitrile gloves |
| 4 Tights Diam. 7,6x122 cm | 1 Pair of protective glasses |
| 6 Pillows 25x25 cm | 2 Bags for waste disposal |
| 3,5 Kg C-Dust in dust | 1 Duffel type ADR |



LOCKER ROOM CLOSET

Closed made in steel plate of 6/10 thickness , with all edges reachable folded. Every vain internally equipped from an upper level brings objects, a rod hang hangers and plastic hook. Hinged door with with special anti-burglary hinges, 180 ° rotation, equipped with slits in the upper and lower part for ventilation, predisposition for name card holder, inside metal towel bar, drop collector glass. Lockable lockable or with a nickel-plated metal padlock handle. Painting with epoxypolyester powders, gray Ral 7035. Stylized foot with plastic toecap for adjustable foot and front / side plinth.

LOCKER ROOM CLOSET - 1 PLACE
With dirty/clean partition

| CODE | WEIGHT IN KG | DIMENSIONS IN CM (LxPxH) | PRICE |
|-------|--------------|-----------------------------|----------|
| 10098 | 25 | 420x500x1800 | € 476,67 |



LOCKER ROOM CLOSET - 2 PLACES
With dirty/clean partition

| CODE | WEIGHT IN KG | DIMENSIONS IN CM (LxPxH) | PRICE |
|-------|--------------|-----------------------------|----------|
| 10099 | 43,9 | 800x500x1800 | € 801,67 |

LOCKER ROOM CLOSET- 3 PLACES
With dirty/clean partition

| CODE | WEIGHT IN KG | DIMENSIONS IN CM (LxPxH) | PRICE |
|-------|--------------|-----------------------------|------------|
| 10100 | 62 | 1200x500x1800 | € 1.115,83 |

