PRODUZIONE ESTINTORI D'INCENDIO OMOLOGATI E CERTIFICATI



PRODUCTION OF APPROVED FIRE EXTINGUISHERS

www.emme-italia.com













SYSTEMS FOR THE FILLING OF CO2

PC1 - Pump CO2 for the transfer from cylinders to cylinders

Description:

The devices **PC1** allows the loading of the extinguishers or cylinders for the carbon dioxide compressing the liquid CO2 at high pressure directly at the inside of the cylinders.

Can be utilized for cylinders or tanks from 0,2 to 45kg of capacity. The devices **PC1** posses an rapid universal attacks provided with breather CO2 residual.

ART.PC1- 220V 2.2 Kw 5-7 Lt/min

The machinery is complete with flexible pipe PTFE at high pressure for the power supply and delivery CO2 with connection of delivery 21,7, complete with security cable.

Note: cylinders are not included

Technical information:

- Size: LxPxH 600x400x600mm;
- Weight: 45 kg;
- Power supply PC1: 220v 3P;
- Electric engine and pumping unit connected with pulley and strap protected from metal grid;
- Frame paintend on fire;
- Electric commands box with selector og gear and arrest, spies and general electric switch;
- Calibrated security valve;
- Pressure switch adjustable.



